

NEW UTILITY PATENT APPLICATION TRANSMITTAL

(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Total Pages this Submission: 3

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:
SYSTEM AND METHOD FOR VARIABLE SIZE RETRIEVAL OF WEBPAGE DATA

and invented by:

RICHARD G. HARTMANN, GILFORD F. MARTINO, and VINCENT T. TIMON, III

If a CONTINUATION APPLICATION, check the appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application
No.: _____

Enclosed are:

Application Elements

01. ☒ Filing fee as calculated and transmitted as described below
02. ☒ Specification having 26 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure
03. ☒ Drawing(s) when necessary as prescribed by 35 USC 113)
 - a. ☐ Formal
 - b. ☐ Informal

Number of sheets: 6

NEW UTILITY PATENT APPLICATION TRANSMITTAL**(Large Entity)***(Only for new nonprovisional applications under 37 CFR 1.53(b))*

Total Pages this Submission:3

Application Elements (Continued)

04. ☒ Oath or Declaration
- a. ☒ Newly executed (original or copy) ☐ Not executed
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) *(for continuation/divisional application only)*
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
05. ☐ Incorporation By Reference *(usable if box 4b is checked)*
- The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Item 4b, is considered as being part of the disclosure of accompanying application and is hereby incorporated by reference therein.
06. ☐ Computer Program in Microfiche *(Appendix)*
07. ☐ Nucleotide and/or Amino Acid Sequence Submission *(if applicable, all must be included)*
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy *(identical to computer copy)*
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

08. ☒ Assignment Papers *(cover sheet & document(s))*
09. ☐ 37 CFR 3.73(B) Statement *(when there is an assignee)*
10. ☐ English Translation Document *(if applicable)*
11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS citation
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail (Label No: EL172582507US)
15. ☐ Certified Copy of Priority Document(s) *(if foreign priority is claimed)*

NEW UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Total Pages this Submission:3

Accompanying Application Parts (Continued)

16. ☐ Additional Enclosures (identify below)

Fee Calculation and Transmittal

CLAIMS AS FILED

For	# Filed	# Allowed	# Extra	Rate	Fee
Total Claims	17	-20	0	x \$18.00	\$
Indep. Claims	9	- 3	6	x \$78.00	\$ 468.00
Multiple Dependent Claims _____					\$
				BASIC FEE	\$ 760.00
Other FEE (Specify purpose)					\$
				TOTAL FILING FEE	\$ 1,228.00

- ☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit IBM Corporation Deposit Account No. 09-0457 as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of \$1,228.00 as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees as required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated:

16 June 1999



 Signature

Shelley M Beckstrand
 Reg. No. 24,886

314 Main Street
 Owego, NY 13827-1616
 Phone: (607) 687-9913

CC:

[illegible]

DOCKET NO. **EN998070**

CERTIFICATE OF MAILING UNDER 37 CFR 1.10

Signature Denise M. Junk Date 6/24/99

SYSTEM AND METHOD FOR VARIABLE SIZE RETRIEVAL OF WEBPAGE DATA

Background of the Invention

Technical Field of the Invention

5 This invention pertains to retrieval of data. More specifically, it relates to variable size retrieval of Webpage images, audio, video and text data.

Background Art

10 It is an attribute of the World Wide Web that users wait. They are, it would seem, constantly waiting for web pages to be retrieved and for images to be loaded, or sound bites to be loaded, video to be loaded and/or large amounts of text to be loaded for display or performance at a user terminal.

15 Some pages require enormous amounts of data for images, and even more data for audio and video clips. Current web browsers allow the user to prevent the retrieval of video clips and to prevent audio clips. However, there currently is no provision for allowing a user to define by data type
20 the minimum and maximum data sizes that will be communicated over the web by a server in response to a client browser request.

25 Consequently, there is a need in the art for a system and method whereby users are provided the capability of

preventing certain sizes of data from being retrieved. That is, to provide such users the capability to limit the size of text, image, audio and video data from being retrieved. There is, further, a need in the art for a system and method whereby users are provided the capability of limiting data served by a server in response to a browser request to a range within user selected minimum and maximum data size, and to selectively define that minimum and maximum data size by data type.

A HEAD method is defined in the HTTP protocol at level 0.9 and higher by which a HTTP server responds to a browser request by serving to the browser just the header of a data file. The header contains the content-length of the data that would have been served had the complete file been requested using a GET. Currently the HEAD method is being used for testing hypertext links for validity, accessibility, and recent modification. It is also used to filter the cache after data has been retrieved. Typically, applications using the HEAD method will retrieve the data at least once before deciding to either retrieve more data or discard the data.

RFC 1945, which describes the GET and HEAD methods, includes the following. The web link is:

<http://www.ics.uci.edu/pub//ietf/http/rfc1945>

From RFC 1945, at sections 5.1.1, 8.1 and 8.2:

5.1.1 Method

The Method token indicates the method to be performed

on the resource identified by the Request-URI. The method is case-sensitive.

Method = "GET" ; Section 8.1
 | "HEAD" ; Section 8.2
 | "POST" ; Section 8.3
 | extension-method

extension-method = token

"The list of methods acceptable by a specific resource can change dynamically; the client is notified through the return code of the response if a method is not allowed on a resource. Servers should return the status code 501 (not implemented) if the method is unrecognized or not implemented."

"The methods commonly used by HTTP/1.0 applications are fully defined in Section 8..."

8.1 GET

"The GET method means retrieve whatever information (in the form of an entity) is identified by the Request-URI. If the Request-URI refers to a data-producing process, it is the produced data which shall be returned as the entity in the response and not the source text of the process, unless that text happens to be the output of the process."

"The semantics of the GET method changes to a "conditional GET" if the request message includes an If-Modified-Since header field. A conditional GET

method requests that the identified resource be transferred only if it has been modified since the date given by the If-Modified-Since header, as described in Section 10.9. The conditional GET method is intended to reduce network usage by allowing cached entities to be refreshed without requiring multiple requests or transferring unnecessary data."

8.2 HEAD

"The HEAD method is identical to GET except that the server must not return any Entity-Body in the response. The metainformation contained in the HTTP headers in response to a HEAD request should be identical to the information sent in response to a GET request. This method can be used for obtaining metainformation about the resource identified by the Request-URI without transferring the Entity-Body itself. This method is often used for testing hypertext links for validity, accessibility, and recent modification."

"There is no "conditional HEAD" request analogous to the conditional GET. If an If-Modified-Since header field is included with a HEAD request, it should be ignored."

It is an object of the invention to provide an improved system and method for allowing a user to define the type and size of data to be served in response to a client browser request.

It is a further object of the invention to provide an

improved system and method for preventing transfer over the web of data files larger than those which a user is willing to accept.

5 It is a further object of the invention to provide an improved system and method for reducing the wait time perceived by a user when requesting data from a server.

10 It is a further object of the invention to provide an improved system and method utilizing the HEAD method for allowing a user to define the type and size of data to be served in response to a client browser request.

It is a further object of the invention to provide an system and method utilizing the HEAD method for allowing a user to determine whether to retrieve data from a server before retrieving any data other than the header.

15 It is a further object of the invention to provide a system and method allowing a user to prevent smaller content web pages from being returned.

Summary of the Invention

20 In accordance with a first embodiment of the invention a server system and method is responsive to a request for data from a client browser. The server receives from the client a HEAD request for the header of a data file or document. Responsive to the HEAD request, the server serves to the browser data file header information including data
25 type and data size. Thereafter, upon receiving from the

browser a GET request, the server servers to the browser the data file or document corresponding to the header.

In accordance with a second embodiment of the invention, a browser system and method requests a data file or document from a server. The browser receives data parameters from a browser user, and thereafter communicates a HEAD request to the server. Subsequently, the browser receives from the server in response to the HEAD request a data file header describing data file parameters. The browser then determines if the data file parameters are within the user data parameters and, if so, communicates to the server a GET request requesting that the server serve data file or document.

In accordance with an aspect of the invention, there is provided a computer program product configured to be operable to cause a browser to request a data file or document from a server. The browser is configured to receive data parameters from a browser user, and thereafter communicate a HEAD request to the server. Subsequently, the browser is configured to receive from the server in response to the HEAD request a data file header describing data file parameters. The browser is then configured to determine if the data file parameters are within the user data parameters and, if so, communicate to the server a GET request requesting that the server serve data file or document.

Other features and advantages of this invention will become apparent from the following detailed description of the presently preferred embodiment of the invention, taken in conjunction with the accompanying drawings.

Brief Description of the Drawings

Figure 1 is a high level system diagram of a typical client/server system.

Figure 2 is an illustration of a request message.

5 Figure 3 is an illustration of a response message.

Figure 4 is a flow diagram illustrating the method of a first embodiment of the invention.

Figures 5-7 are illustrations of Internet browser properties panels.

10 Figure 8 is a flow diagram illustrating the method of a second embodiment of the invention.

Best Mode for Carrying Out the Invention

In accordance with the invention, a computer user is provided the capability of selectively choosing the size and type of audio, video, image, application MIME type data that will be served in response to a user request.

In accordance with the preferred embodiment of the invention, a user desiring to retrieve any multimedia document (such as image, sound, audio, video, text) is provided the ability to select the size of the document desired. The HTTP protocol HEAD method is used for extracting content length and content type from the server. Whether the client browser requests the document or not is based on the content length and content type sent in the header served to the browser by the server and the minimum or maximum size selected by the user for the relevant type. If the content size is not within the parameters defined by the user, the document will not be requested or served on the network.

Referring to Figure 1, user terminal 21 with web browser 20 and HTTP server 10 are illustrated.

Referring to Figure 2, a typical WEB browser 20 issues a request 12 using a URL. Browser 20 uses the URL to generate an HTTP request header 16 containing, among other things, hostname 17 for server 10, HTTP request method 18 and request information 19.

Referring to Figure 3, HTTP request 12 is processed by an HTTP server 10 to generate an HTTP response header 25 and

response body 26. Response header 25 includes the content type 27 and content length 28 of the data 29 that is served in the response body 26. When the request method 18 is GET, both response header 25 and body 26 are served in response 14. When method 18 is HEAD, only response header 25 is served. The content length 28 in the response header 25 for a HEAD request 12 is the length of the data 29 that would have been served had the request method 18 of request 12 been a GET.

Referring to Figure 4, a flow diagram of the preferred embodiment of the invention is illustrated. In step 30, browser 20 issues a HEAD request message to server 10, which responds in step 32 with a header 25 giving content type 27 and content length 28 of data 29, but not data 29 itself.

In step 34, browser 20 determines from response 25 if the content type 27 and content length 28 are within parameters established by the user. If not, as is illustrated by step 36, the corresponding data 29 is not requested (that is, a GET will not be issued). However, if the content type and size are supported, then in step 38 a GET request message 12 is sent to the server, which responds with the full response message 14, including both header 25 and body 26, including data 29, which data 29 in step 42 is displayed by the browser to the user.

In accordance with the invention, the HEAD method is used to retrieve from a server the size and type of data which will be served to the browser IF the browser determines that that data is within user established parameters. If it is not, then the data is not requested by the browser and, consequently, not served. In this manner,

the user is not forced to wait or cancel a transmission of data of type or size in excess of what the user is willing to receive. If a HEAD request determines that the corresponding data is not within acceptable parameters, the browser may abort the request outright or advise the user (by way of a display panel not shown) of type/size of data requested, giving the user the opportunity to change the acceptance parameters if desired.

Referring to Figure 5, an example of a browser properties panel 50 is illustrated for use by the user at terminal 21 in establishing parameters for accepting data. As illustrated, panel 50 includes panels 52-58 corresponding respectively to image, video, audio and text data. The user selects fields 70, 72, 74, and 76 to indicate the type of data which will be accepted for showing or playing at terminal 21, and in fields 80, 82, 84 and 86 the minimum size in kilobytes and in fields 90, 92, 94 and 96, respectively, the maximum size in kilobytes of data which will be accepted. In the example of Figure 5, the user accepts each data type without limitation. Buttons 60 and 62 are selected by the user to accept or cancel, respectively, the settings in fields 70-76, 80-86 and 90-96.

Referring to Figure 6, the user has selected buttons 70, 74 and 76 to show pictures, play sound and show text, respectively. By not selecting button 72, the user indicates that videos will not be selected and, consequently, fields 82 and 92 are greyed out. Image data between 11,000 and 25,000 bytes will be shown, sound data of at least 10,000 bytes will be played, and text of any size will be shown.

Referring to Figure 7, the user has indicated that image data not exceeding 10,000 bytes is to be shown, audio data of any size is to be played, and text data of any size is to be shown.

5 Referring to Figure 8, an alternative embodiment of the method of the invention is illustrated. In this embodiment, steps 22 and 24 are illustrated for establishing a connection between browser 20 and server 10, and steps 35 and 39 added for enabling an alternative response to a
10 determination in step 34 that the response to a HEAD request is a message identifying a data type or data size outside of the parameters accepted by the user. In step 35, browser 35 determines if an alternative request may be issued and, if so, in step 39 a new request message is set for a partial
15 set of data. That partial set of data may be, for example, the first n bytes of data. These data bytes may be displayed to the user and may be helpful to the user in determining whether to change the acceptance parameters (such as maximum size).

20 Referring to Table 1, the GET method is illustrated. When content type 27 is text or html, client browser 20 sends a request 12 for each inline data element in the html document. Table 1 illustrates a request 12 for a document that contains four inline documents. There are five
25 requests 12 initiated by the client browser 20. The GET method is used for each request 12 that sends all the data in the response (URL: http://hostname). This URL generates five requests 12: one for the initial document ("GET / HTTP/1.0") and a separate request 12 for each included
30 inline document.

TABLE 1:GET METHOD

GET / HTTP/1.0
5 GET / image/picture1.gif HTTP/1.0
GET / image/picture2.gif HTTP/1.0
GET / image/picture3.gif HTTP/1.0
GET / image/picture4.gif HTTP/1.0

10 Referring to Table 2, the HTTP/1.0 protocol request and
response messages 12 and 14, respectively, using GET and
HEAD methods 18 is shown. The example shown in Table 2 uses
the predefined browser settings illustrated in Figure 7,
which allow object types of text of any size, audio of any
15 size, pictures having a size within range from 0 bytes to
10,000 bytes, and block all video documents. Figure 5 and 6
illustrate no restrictions on data type, and variable sizes
on pictures and sounds. The flow diagram of Figure 4
illustrates the processing of each document and/or inline
20 document as it is requested by client browser 20 using the
HEAD method.

TABLE 2: HEAD METHOD

BROWSER REQUEST/ACTION	SERVER RESPONSE
STEP 1)	
HEAD / HTTP/1.0	RETURNS RESPONSE HEADER WITH INITIAL DOCUMENT TYPE AND SIZE: Content type: text/html

Content length: 3450

STEP 2)

GET/HTTP/1.0

RETURNS RESPONSE HEADER AND
RESPONSE BODY

5 STEP 3)

HEAD/image/picture1.gif
HTTP/1.0

RETURNS FIRST INTERNAL OBJECT
TYPE AND SIZE:
Content type: image/gif
Content length: 4118

10 STEP 4)

HEAD/image/picture2.gif
HTTP/1.0

RETURNS FIRST INTERNAL OBJECT
TYPE AND SIZE:
Content type: image/gif
Content length: 961

15 STEP 5)

HEAD/image/picture3.gif
HTTP/1.0

RETURNS FIRST INTERNAL OBJECT
TYPE AND SIZE:
Content type: image/gif
Content length: 57419

20 STEP 6)

HEAD/image/picture4.gif
HTTP/1.0

RETURNS FIRST INTERNAL OBJECT
TYPE AND SIZE:
Content type: image/gif
Content length: 1511

25 STEP 7)

GET/image/picture1.gif
HTTP/1.0

RETURNS IMAGE DATA

STEP 8)

30 GET/image/picture2.gif
HTTP/1.0

RETURNS IMAGE DATA

STEP 9)

GET/image/picture4.gif

RETURNS IMAGE DATA

EN998070

HTTP/1.0

[illegible]

Referring further to the example of Table 2, in step 1 browser 20 issues a HEAD request to determine initial document type and size.

5 In step 2, the GET request is performed because the corresponding HEAD request of step 1 determined that this document has a type and size within the browser settings (Figure 7). Browser 20 determines, from the data 29 returned in response message 14, that there are four inline documents. These four inline documents are identified in
10 dat 29 as image/picture1.gif, image/picture2.gif, image/picture3.gif, and image/picture 4.gif. Browser 20 thus determines that it must issue four HEAD requests, one for each of the inline documents. These HEAD requests are issued in steps 3, 4, 5 and 6 and corresponding response
15 messages received and evaluated to determine data type and size.

In step 7, browser 20 issues a GET request for picture1 because the corresponding HEAD request of step 3 determined that this object is a picture that is within the minimum and
20 maximum range defined by the user (Figure 7). That is, user accepts pictures less than 10,000 bytes. This image is displayed.

In step 8, browser 20 issues a GET request for picture2 because the corresponding HEAD request of step 4 determined
25 that this object is a picture that is within the minimum and maximum range defined by the user. That is, user accepts pictures less than 10,000 bytes, and this object is a picture of length 961 bytes. This image is also displayed.

Browser 20 does not do a GET for picture3 because the

corresponding HEAD request of step 5 returned a type and size of object that is outside the bounds of the user predefined browser settings. That is, images of size greater than 10,000 bytes are not accepted, and this object picture3 is an image of size 57,419 bytes.

In step 9, browser 20 issues a GET request for picture4 because the corresponding HEAD request of step 6 determined that this object is a picture that is within the minimum and maximum range defined by the user. That is, user accepts pictures less than 10,000 bytes, and this object is a picture of length 1511 bytes. This image is displayed.

By providing a minimum size of data for a browser a user can prevent smaller content web pages from being returned. This type of information retrieval may be used in preventing the retrieval of web pages under construction.

By providing a minimum and maximum range for a browser a user can allow specific size retrievals. An example of this type of retrieval is for conference papers which have a minimum size and a maximum size associated with them, so that searching for a range for these types of papers would be beneficial. Another example is to prevent retrieval of pictures that are thumbnail size, and retrieving only the larger size pictures, or vice versa, retrieving only large pictures and not the thumbnail size pictures. And yet another example is to allow retrieval of specific types of data - that is, if a user is attempting to fill a ten second spot of a presentation with a sound byte (a ten second audio feed), he could do a search on audio pages within the range of bytes which yield about ten seconds of audio.

Advantages over the Prior Art

It is an advantage of the invention that there provided an improved system and method for allowing a user to define the type and size of data to be served in response to a client browser request.

It is a further advantage of the invention that there is provided an improved system and method for preventing transfer over the web of data files larger than those which a user is willing to accept.

It is a further advantage of the invention that there is provided an improved system and method for reducing the wait time perceived by a user when requesting data from a server.

It is a further advantage of the invention that there is provided an improved system and method utilizing the HEAD method for allowing a user to define the type and size of data to be served in response to a client browser request.

It is a further advantage of the invention that there is provided an improved system and method utilizing the HEAD method for allowing a user to determine whether to retrieve data from a server before retrieving any data other than the header.

It is a further advantage of the invention that there is provided a system and method allowing a user to prevent smaller content web pages from being returned.

Alternative Embodiments

It will be appreciated that, although specific
embodiments of the invention have been described herein for
purposes of illustration, various modifications may be made
without departing from the spirit and scope of the
invention. In particular, it is within the scope of the
invention to provide a computer program product or program
element, or a program storage or memory device such as a
solid or fluid transmission medium, magnetic or optical
wire, tape or disc, or the like, for storing signals
readable by a machine, for controlling the operation of a
computer according to the method of the invention and/or to
structure its components in accordance with the system of
the invention.

Further, each step of the method may be executed on any
general computer, such as an IBM System 390, AS/400, PC or
the like and pursuant to one or more, or a part of one or
more, program elements, modules or objects generated from
any programming language, such as C++, Java, Pl/1, Fortran
or the like. And still further, each said step, or a file
or object or the like implementing each said step, may be
executed by special purpose hardware or a circuit module
designed for that purpose.

Accordingly, the scope of protection of this invention
is limited only by the following claims and their
equivalents.

CLAIMS

We claim:

1. A method for operating a server responsive to a request for data from a client browser, comprising the steps of:

receiving from said browser a head request for the header of a data file;

responsive to said head request, serving to said browser data file header information including data type and data size;

receiving from said browser a get request; and thereafter

responsive to said get request, serving to said browser data corresponding to said header.

2. A method for operating a client browser for requesting a data file from a server, comprising the steps of:

receiving data parameters from a browser user;

communicating to said server a head request;

receiving from said server in response to said head request a data file header describing data file parameters;

8 determining if said data file parameters are within
9 said user data parameters; and if so,

10 communicating to said server a get request requesting
11 said server to serve said data file.

1 3. The method of claim 2, wherein said data parameters
2 define the data type and data size acceptable to said user
3 and wherein said data file parameters include the data
4 content type and data content size of said data file.

1 4. The method of claim 3, wherein said data file comprises
2 a plurality of data files including one or more inline
3 documents.

1 5. The method of claim 4 wherein each of said plurality of
2 data files is of a type selected from the set of data file
3 types including image data, video data, audio data, and text
4 data.

1 6. The method of claim 5, wherein a head request is
2 submitted separately for each said inline document.

1 7. The method of claim 6, wherein said get request is
2 submitted selectively only for those inline documents having
3 data parameters within said user parameters.

1 8. The method of claim 3, wherein said data parameters
2 include a maximum data size and a minimum data size
3 acceptable to said user.

1 9. The method of claim 2, responsive to said data file
2 parameters not being within said user data parameters,
3 comprising the further step of providing to said user the
4 option of modifying said user data parameters.

1 10. The method of claim 2, responsive to said data file
2 parameters not being within said user data parameters,
3 comprising the further step of providing to said user the
4 option of requesting a portion of said data file.

1 11. A server system, comprising:

2 a first logic element for receiving from a client
3 browser a head request for the header of a data
4 document;

5 a second logic element responsive to said head request
6 for serving to said client browser a data document
7 header including data type indicia and data size
8 indicia;

9 a third logic element for receiving from said browser a
10 get request; and

11 a fourth logic element responsive to said get request
12 for serving to said browser a data document

13 corresponding to said header.

1 12. A server system, comprising:

2 first means for receiving from a client browser a head
3 request for the header of a data document;

4 second means responsive to said head request for
5 serving to said client browser a data document header
6 including data type indicia and data size indicia;

7 third means for receiving from said browser a get
8 request; and

9 fourth means responsive to said get request for serving
10 to said browser a data document corresponding to said
11 header.

1 13. A client browser for requesting a data file from a
2 server, comprising:

3 means for receiving data parameters from a browser
4 user;

5 means for communicating to said server a head request;

6 means for receiving from said server in response to
7 said head request a data file header describing data
8 file parameters;

9 means for determining if said data file parameters are

10 within said user data parameters; and if so,
11 means operable for communicating to said server a get
12 request requesting said server to serve said data file.

1 14. A program storage device readable by a machine,
2 tangibly embodying a program of instructions executable by a
3 machine to perform method steps for operating a client
4 browser for requesting a data file from a server, said
5 method steps comprising:

6 receiving data parameters from a browser user;
7 communicating to said server a head request;
8 receiving from said server in response to said head
9 request a data file header describing data file
10 parameters;
11 determining if said data file parameters are within
12 said user data parameters; and if so,
13 communicating to said server a get request requesting
14 said server to serve said data file.

1 15. An article of manufacture comprising:
2 a computer useable medium having computer readable
3 program code means embodied therein for operating a
4 client browser for requesting a data file from a
5 server, the computer readable program means in said

6 article of manufacture comprising:

7 computer readable program code means for causing a

8 computer to effect receiving data parameters from a

9 browser user;

10 computer readable program code means for causing a

11 computer to effect communicating to said server a head

12 request;

13 computer readable program code means for causing a

14 computer to effect receiving from said server in

15 response to said head request a data file header

16 describing data file parameters;

17 computer readable program code means for causing a

18 computer to effect determining if said data file

19 parameters are within said user data parameters; and if

20 so,

21 computer readable program code means for causing a

22 computer to effect communicating to said server a get

23 request requesting said server to serve said data file.

1 16. A computer program element for operating a client

2 browser for requesting a data file from a server according

3 to the steps of:

4 receiving data parameters from a browser user;

5 communicating to said server a head request;

6 receiving from said server in response to said head
 7 request a data file header describing data file
 8 parameters;
 9 determining if said data file parameters are within
 10 said user data parameters; and if so,
 11 communicating to said server a get request requesting
 12 said server to serve said data file.

1 17. A program storage device readable by a machine,
 2 tangibly embodying a program of instructions executable by a
 3 machine to perform method steps for operating a server
 4 responsive to a request for data from a client browser,
 5 said method steps comprising:
 6 receiving from said browser a head request for the
 7 header of a data file;
 8 responsive to said head request, serving to said
 9 browser data file header information including data
 10 type and data size;
 11 receiving from said browser a get request; and
 12 thereafter
 13 responsive to said get request, serving to said browser
 14 data corresponding to said header.

EN998070

25

SYSTEM AND METHOD FOR VARIABLE SIZE RETRIEVAL OF WEBPAGE DATA

Abstract of the Disclosure

5

A user desiring to retrieve any multimedia document (such as image, sound, audio, video, text) is provided the ability to select the size of the document desired. The

SYSTEM AND METHOD FOR
VARIABLE SIZE RETRIEVAL OF WEBPAGE DATA

Abstract of the Disclosure

5

A user desiring to retrieve any multimedia document (such as image, sound, audio, video, text) is provided the ability to select the size of the document desired. The HTTP protocol HEAD method is used for extracting content length and content type from the server. Whether the client browser requests the document or not is based on the content length and content type sent in the header served to the browser by the server and the minimum or maximum size selected by the user for the relevant type. If the content size is not within the parameters defined by the user, the document will not be requested or served on the network.




FIG. 3




FIG. 2




FIG. 1




FIG. 4

50

INTERNET BROWSER PROPERTIES X

IMAGE 52

☒ ⁷⁰ SHOW PICTURES

MINIMUM SIZE ⁸⁰ MAXIMUM SIZE ⁹⁰

VIDEO 54

☒ ⁷² PLAY VIDEOS

MINIMUM SIZE ⁸² MAXIMUM SIZE ⁹²

AUDIO 56

☒ ⁷⁴ PLAY SOUND

MINIMUM SIZE ⁸⁴ MAXIMUM SIZE ⁹⁴

TEXT 58

☒ ⁷⁶ SHOW TEXT

MINIMUM SIZE ⁸⁶ MAXIMUM SIZE ⁹⁶

⁶⁰ OK ⁶² CANCEL

FIG. 5

50

INTERNET BROWSER PROPERTIES

IMAGE 52

☒ 70 SHOW PICTURES

MINIMUM SIZE 11 80 MAXIMUM SIZE 25 90

VIDEO 54

☐ 72 PLAY VIDEOS

/// /// 82 92

AUDIO 56

☒ 74 PLAY SOUND

MINIMUM SIZE 10 84 MAXIMUM SIZE NO MAX 94

TEXT 58

☒ 76 SHOWTEXT

MINIMUM SIZE 0 86 MAXIMUM SIZE NO MAX 96

OK 60 CANCEL 62

FIG. 6

50

INTERNET BROWSER PROPERTIES

IMAGE

☒ SHOW PICTURES

MINIMUM SIZE MAXIMUM SIZE

VIDEO

☐ PLAY VIDEO

/// ///

AUDIO

☒ PLAY SOUND

MINIMUM SIZE MAXIMUM SIZE

TEXT

☒ SHOW TEXT

MINIMUM SIZE MAXIMUM SIZE

OK CANCEL

FIG. 7




FIG. 8

Att. Docket No. EN998070

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **System and Method for Variable Size Retrieval of Webpage Data**

the specification of which (check one)

 X is attached hereto.

 was filed on as Application Serial No. or PCAT International Application No. and was amended on (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventors certificate, or PCAT International application having a filing date before that of the application on which priority is claimed::

Prior Foreign Appplication(s):

Number	Country	Date/Month/Year	Priority Claimed
--------	---------	-----------------	------------------

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below.

Application Number	Filing Date
--------------------	-------------

I hereby claim the benefit under Title 35, United States Code, section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose information material to patentability of this application as defined in 37 CFR Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Prior U.S. Applications:

Serial No.	Filing Date	Status (patented, pending, abandoned)
------------	-------------	---------------------------------------

As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: David L. Adour, Reg. No. 29,604; Lawrence R. Fraley, Reg. No. 26,885; John R. Pivnichny, Reg. No. 43,001; Arthur J. Samodovitz, Reg. No. 31,297; William H. Steinberg, Reg. No. 28,540; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John H. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; and Shelley M Beckstrand, Reg. No. 24,886.

Send all correspondence to: Shelley M Beckstrand, P.C.
Attorney at Law
314 Main Street
Owego, NY 13827

Direct telephone calls to: (607) 687-9913 [alt: (607) 755-3268]

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

- (1) Inventor: RICHARD G. HARTMANN
Signature: Richard G. Hartmann Date: 6/22/99
Residence: 705 BADGER AVENUE, ENDICOTT, NY 13760
Citizenship: USA
Post Office Address: SAME AS RESIDENCE
- (2) Inventor: GILFORD F. MARTINO
Signature: Gilford F. Martino Date: 6/22/99
Residence: 295 HILLSIDE TERRACE, ENDWELL, NY 13760
Citizenship: USA
Post Office Address: SAME AS RESIDENCE
- (3) Inventor: VINCENT T. TIMON, III
Signature: Vincent T. Timon III Date: 6/22/99
Residence: 31 BROOK AVENUE, BINGHAMTON, NY 13903
Citizenship: USA
Post Office Address: SAME AS RESIDENCE